

HSM V-Press 825



HSM V-Press 825 vertical baling press

The HSM V-Press 825 is characterized by its very low transport height.

Technical data

Order number:	6052214	Bale length x Bale width x Bale height:	1200 x 700 x 780 mm
EAN	4026631080545	Bale weight:	280 kg
Pressing power:	250 kN	Method of loading:	manual
Specific pressing power:	26 N/cm ²	Width x Depth x Height:	1700 x 1248 x 2370 mm
Driving power:	4 kW	Weight:	1210 kg
Voltage / Frequency:	400 V / 50 Hz	Related product line:	V-Press
Cycle time when idling vacío:	39 s	Type of consumables:	Strapping tape
Volume throughput in idle operation (theor.):	7 m ³ /h	Press material:	Plastic film, Mixed paper, Cardboard, Punch waste/residue, Clothing
Loading height:	958 mm		
Loading aperture width x height:	1195 x 540 mm		

Product information



To fill the press, the upper half of the doors is pushed down and automatically opens after the compression process



Hand wheel door lock - Easy to handle thanks to counter-rotating thread for quick opening and closing



Suitable for cardboard as well as film

HSM®




Compresses cardboard and film

Suitable for cardboard as well as film.



Automatic start

Automatic start of the pressing process after closing the door.



Optimized pressing

Massive press ram and extremely robust press plate guidance.



Graphic-capable display

Convenient membrane keypad with text display, which shows the current status of the machine.



HSM TCS

HSM TCS (Torsion Control System) for monitoring press ram movement.



Strapping

Manual bale strapping with continuous polyester tape.



Made in Germany



cost effective



simple operation



95% volume reduction



www.tuev-sued.de/ps-zert



HSM V-Press 605,
610



HSM V-Press 818,
820, 825

HSM®

www.hsm.eu