

# HSM HL 4812



## HSM HL 4812 horizontal baling press

The HSM HL 4812 has been designed with an operating concept and technical features in mind to make it the optimum machine for food retailers and small central storage facilities. It can be fed manually or via conveyor. Bale ejection is handled by the machine efficiently and safely with minimum operator effort. All in all a sophisticated solution for small to medium quantities at a great price-performance ratio and high automation level.

### Product information

Very low space requirement thanks to compact and sturdy design



Feeding: manual or automatic



Hydraulic counterplate for bale removal ensures optimum operating convenience and safety



Manual bale strapping with wire



## Technical data

<b>Order number:</b>	6402001	<b>Length x Width x Height:</b>	5158 x 1642 x 2550 mm
<b>Pressing power:</b>	480 kN	<b>Weight:</b>	5899 kg
<b>Specific pressing power:</b>	58 N/cm <sup>2</sup>	<b>Method of strapping:</b>	horizontal
<b>Driving power:</b>	22 kW	<b>Number of strappings:</b>	4
<b>Voltage / Frequency:</b>	400 V / 50 Hz	<b>Type of consumables:</b>	Wire
<b>Cycle time when idling vacío:</b>	25 s	<b>Industry type:</b>	Print & Packaging, Industry & Manufacturing, Retail, Logistics & Distribution
<b>Volume throughput in idle operation (theor.):</b>	130 m <sup>3</sup> /h	<b>Press material:</b>	Mixed paper, Plastic film, Cardboard
<b>Loading aperture width x Loading aperture length:</b>	1020 x 1250 mm	<b>Use for product line:</b>	HL
<b>Bale width x Bale height x Bale length:</b>	1100 x 750 x 1200 mm		
<b>Bale weight (up to):</b>	420 kg		