


HSM VK 4012



Channel baling press HSM VK 4012

For industrial applications with special requirements - Throughput up to approx. 239 m³/h

Product information

Particularly suitable for compression of cardboard and plastic film



Einbindung in automatisierte industrielle Produktionsprozesse



Operating side can be selected



Für kontinuierliche Beschickung mit Förderband, Luftbeschickung o. ä. geeignet



Technical data

Order number:	6406001	Length x Width x Height:	6180 x 3190 x 2440 mm
Pressing power:	450 kN	Weight:	7 t
Specific pressing power:	69,4 N/cm ²	Method of strapping:	horizontal
Driving power:	22 kW	Number of strappings:	3
Voltage / Frequency:	400 V / 50 Hz	Type of consumables:	Wire
Cycle time when idling vacío:	12,2 s	Industry type:	Industry & Manufacturing, Print & Packaging, Logistics & Distribution, Retail
Volume throughput in idle operation (theor.):	239 m ³ /h	Press material:	Plastic film, Mixed paper, Cardboard
Volume throughput at 50kg/m³ (theor.):	11.95 t/h	Use for product line:	VK
Loading aperture width x Loading aperture length:	820 x 1250 mm		
Bale width x Bale height x Bale length:	900 x 720 x 600-1200 mm		
Bale weight:	250-400 kg		