



HSM VK 2310

Channel baling press HSM VK 2310

For industrial applications with small material loads - Troughput up to approx. 144 m³/h

Product information

Compresses paper, cardboard, plastic film and PET bottles



Operating side can be selected



Für kontinuierliche Beschickung mit Förderband, Luftbeschickung o. ä. geeignet

Loading aperture of 1000 mm suitable for larger material pieces and higher throughput rates



Technical data

Order number:	6650002	Bale weight:	140-250 kg
Pressing power:	240 kN	Length x Width x Height:	5940 x 2700 x 1940 mm
Specific pressing power:	64 N/cm ²	Weight:	3,9 t
Driving power:	15 kW	Method of strapping:	horizontal
Voltage / Frequency:	400 V / 50 Hz	Number of strappings:	3
Cycle time when idling vacío:	9,4 s	Type of consumables:	Wire
Volume throughput in idle operation (theor.):	144 m ³ /h	Industry type:	Logistics & Distribution, Industry & Manufacturing, Print & Packaging, Retail
Volume throughput at 50kg/m³ (theor.):	7.2 t/h	Press material:	PET beverage and aluminium cans, soft packaging, Punch waste/residue, Cardboard, Mixed paper, Plastic film
Loading aperture width x Loading aperture length:	670 x 1000 mm		
Bale width x Bale height x Bale length:	750 x 500 x 600-1200 mm		