



V-Press 825 Plus 490001272

used Electro-hydraulic baling press model HSM V-Press 825 Plus
Loading flap (fixed at the bottom) and handwheel door lock
/incl. operating instruction and declaration of conformity

- year of construction 2016
- tape strapping

Technical details

- Motor 4.0 kW
- Voltage / Frequency 3 x 400 V / 50 Hz
- Pressing power 250 kN
- Hourly output approx. 2 - 5 bales
- Bale weight up to 280 kg
(depending on material)
- Max. bale size
L 1200 x W 780 x H 700 mm
- Dimensions W 1700 x D 1046 x H 2370 mm
- Weight approx. 1063 kg
- Keypad with selectable program for cardboard
and foil
and graphic capable display of respective current status,
bale counter and working hour meter
- Auto-start and stop when door is opened
or closed
- TorsionControlSystem (TCS)
- Manual 4-fold strapping with polyester tape

You need the following electrical connection:
CEE-plug 3x16 A+N+PE6h, fuse protection 16 A,
circuit breaker trait K or C,
or fuses trait gl

technical and optical modifications reserved
Product image is an example image

Delivery date: on demand

Modifications and errors reserved/used Electro-hydraulic baling press
model HSM V-press 825 plus
Loading flap (fixed at the bottom) and handwheel door lock
incl. operating instruction and declaration of conformity

- year of construction 2015
- tape strapping

Technical details

- Motor 4.0 kW
- Voltage / Frequency 3 x 400 V / 50 Hz
- Pressing power 250 kN
- Hourly output approx. 2 - 5 bales
- Bale weight up to 280 kg
(depending on material)



- Max. bale size
L 1200 x W 780 x H 700 mm
- Dimensions W 1700 x D 1046 x H 2370 mm
- Weight approx. 1063 kg
- Keypad with selectable program for cardboard and foil
and graphic capable display of respective current status,
bale counter and working hour meter
- Auto-start and stop when door is opened or closed
- TorsionControlSystem (TCS)
- Manual 4-fold strapping with polyester tape

You need the following electrical connection:
CEE-plug 3x16 A+N+PE6h, fuse protection 16 A,
circuit breaker trait K or C, or fuses trait gl

technical and optical modifications reserved
product image is an example image

delivery time: on demand

Modifications and errors reserved

Dettagli tecnici

Numero Ordine:	6152244G04782	Peso:	1063 kg
Forza di compressione:	250 kN	Standort:	Germania
Tensione / Frequenza:	400 V / 50 Hz		