



# HSM Pure Document Shredders

Product Overview

# HSM Pure document shredders for the home or the small office

**Unbelievably compact. Always a top performance.** The HSM Pure document shredders for the home or the small office. For people who have to shred confidential documents at their desks.



## Easy to operate

There is no easier way to operate a shredder: it starts automatically when the paper is fed in.



## Simple emptying (HSM Pure 120 / 220)

To empty the waste container, the housing top can be easily removed – a practical, recessed grip facilitates handling.



## Effortless emptying (HSM Pure 320)

The waste container can be easily removed and emptied.

## Special product features for the home or the small office:

- Steel cutting rollers with lifetime warranty.
- Quiet operation minimises noise development in the workplace.
- Low power consumption in standby mode.
- Paper feed with overload protection reduces paper jams.
- The device automatically switches off if pressure is applied to the safety element.



HSM Pure document shredders  
SmallOffice in operation



## Specifications

Model	HSM Pure 120		HSM Pure 220		HSM Pure 320	
Scope of application	Home / small office (up to 3 persons)		Home / small office (up to 3 persons)		Home / small office (up to 3 persons)	
Cutting version	Strips	Particles	Strips	Particles	Strips	Particles
Cutting size in mm / Product number	3.9 / 2310111	4 x 25 / 2313111	3.9 / 2320111	4 x 25 / 2323111	5.8 / 2331121 3.9 / 2330121	3.9 x 30 / 2333121
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2 / T-2 / E-2 	P-4 / T-4 / E-3 / F-1 	P-2 / T-2 / E-2 	P-4 / T-4 / E-3 / F-1 	P-2 / O-2 / T-2 / E-2  P-2 / T-2 / E-2 	P-4 / T-4 / E-3 / F-1 
Cutting capacity in sheets DIN A4 80 g/m <sup>2</sup> (70 g/m <sup>2</sup> )	10-12 (12-14)	5-6 (6-7)	12-14 (13-15)	6-7 (7-8)	17-19 (19-20) 13-15 (14-16)	8-9 (10-11)
Noise level in dB(A)*	55	55	55	55	55	55
Intake width in mm	225	225	225	225	230	230
Motor in watt	160	160	185	185	360	360
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Dimensions (W x D x H) in mm	366 x 258 x 415	366 x 258 x 415	366 x 258 x 466	366 x 258 x 466	365 x 255 x 556	365 x 255 x 556
Weight in kg	4	5	4	5	10	11
Collection volume in l	20	20	25	25	25	25

\*in idle operation

All specifications are listed without guarantee. Technical and design modifications reserved.



**HSM Pure document shredders – quality “Made in Germany”**



The high quality materials and proven HSM “Made in Germany” quality guarantee you are receiving a safe and durable machine.



The cutting rollers with a lifetime warranty can easily cope with staples and paper clips and guarantee durability.



## Trust is good, quality is better.

We deal with important company or confidential data on a daily basis. We’ve been trained to handle personal data and know how important it is to shred documents which are old or no longer required. Preferably wherever the documents are. At the workplace, in the company, in the administration department or even at home.

The HSM Pure document shredders deal with everything reliably and simply. The high quality materials and proven “Made in Germany” quality guarantee security and a long operating lifetime.


## Maximum performance in operation. Energy saving in standby mode.

The HSM Pure document shredders are impressively powerful whilst operating and, thanks to the intelligent energy-saving management system, very economic in stand-by mode.



# HSM Pure document shredders for the workplace

**Simple elegance. Absolute security.** The HSM Pure document shredders for the workplace. For professional users who shred important business documents or personal data in the office or in small working groups.



## Specially hardened solid steel cutting rollers

The specially hardened cutting rollers made from solid steel are impervious to staples and paper clips and guarantee a long service life.



## Clearly arranged operator control panel

The functional and clearly arranged operator control panel shows the operating state.



## Automatic start/stop

The device starts automatically when fed with paper and automatically stops after shredding is complete.
















































## Special product features for the workplace:

- Quiet continuous operation minimises noise development in the workplace.
- Low power consumption in standby mode.
- Paper feed with overload protection reduces paper jams.
- The device automatically switches off if pressure is applied to the safety element.
- Document shredders can be moved on castors.



HSM Pure document shredders Office in operation



Model	HSM Pure 420		HSM Pure 530		DIN A3	HSM Pure 630		DIN A3
Scope of application	Office (up to 5 persons)		Office (up to 5 persons)			Large office (up to 8 persons)		
Cutting version	Strips		Strips			Strips		
Cutting size in mm / Product number	5.8 / 2341111	4.5 x 30 / 2343111	5.8 / 2351111	4.5 x 30 / 2353111		3.9 / 2360111	4.5 x 30 / 2363111	
	3.9 / 2340111	1.9 x 15 / 2342111	3.9 / 2350111	1.9 x 15 / 2352111			1.9 x 15 / 2362111	
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2 / O-2 / T-2 / E-2    	P-4 / O-3 / T-4 / E-3 / F-1     	P-2 / O-2 / T-2 / E-2    	P-4 / O-3 / T-4 / E-3 / F-1     		P-2 / O-2 / T-2 / E-2    	P-4 / O-3 / T-4 / E-3 / F-1     	
	P-2 / O-2 / T-2 / E-2    	P-5 / T-5 / E-4 / F-2    	P-2 / O-2 / T-2 / E-2    	P-5 / T-5 / E-4 / F-2    			P-5 / T-5 / E-4 / F-2    	
Cutting capacity in sheets DIN A4 80 g/m <sup>2</sup> (70 g/m <sup>2</sup> )	22-24 (25-27) 17-19 (19-21)	13-15 (14-16) 9-11 (11-13)	25-27 (28-30) 19-21 (21-23)	14-16 (16-18) 9-11 (11-13)		26-28 (29-31)	21-22 (25-27) 14-15 (17-19)	
Noise level in dB(A)*	56	56	55	55		55	55	
Intake width in mm	240	240	300	300		310	310	
Motor in watt	500	500	500	500		590	590	
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz		230 V / 50 Hz	230 V / 50 Hz	
Dimensions (W x D x H) in mm	397 x 293 x 621	397 x 293 x 621	497 x 362 x 716	497 x 362 x 716		538 x 487 x 889	538 x 487 x 889	
Weight in kg	18	21	27	30		43	48	
Collection volume in l	35	35	80	80		130	130	

\*in idle operation

All specifications are listed without guarantee. Technical and design modifications reserved.

# HSM Pure document shredders for the department

**Convincingly powerful. Unbelievably economic.** The HSM Pure document shredders for the department. For multiple users who process large quantities of data media with sensitive, company or confidential information frequently and regularly and need to shred the data securely and reliably in-house.



## Continuous operation and low noise

Reliable operation even for continuous load. Optimum design of cutting and drive components as well as the closed gear mechanism ensure low noise.



## Automatic paper jam correction (HSM Pure 730 / 830)

The machine recognises very quickly if too much paper has been fed in and reacts autonomously.



## Convenient emptying

After opening the door, the reusable collecting bag can be easily removed and emptied.












































## Special product features for the department:

- Solid steel cutting rollers with lifetime warranty.
- Particularly high energy savings due to its standby and automatic switch-off features.
- The device automatically switches off if pressure is applied to the safety element.
- High quality wooden cabinet with door.
- Document shredders can be moved on castors.



HSM Pure document shredders  
Department in operation



Model	HSM Pure 740 <span>DIN A3</span>		HSM Pure 730 <span>DIN A3</span>		HSM Pure 830 <span>DIN A3</span>	
Scope of application	Department (8 up to 15 persons)		Department (8 up to 15 persons)		Department (8 up to 15 persons)	
Cutting version	Strips	Particles	Strips	Particles	Strips	Particles
Cutting size in mm / Product number	5.8 / 2371111 3.9 / 2370111	4.5 x 30 / 2373111	5.8 / 2391111 3.9 / 2390111	4.5 x 30 / 2393111	3.9 / 2380121	4.5 x 30 / 2383121
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2 / O-2 / T-2 / E-2     P-2 / O-2 / T-2 / E-2    	P-4 / O-3 / T-4 / E-3 / F-1      P-2 / O-2 / T-2 / E-2    	P-2 / O-2 / T-2 / E-2     P-2 / O-2 / T-2 / E-2    	P-4 / O-3 / T-4 / E-3 / F-1      P-2 / O-2 / T-2 / E-2    	P-2 / O-2 / T-2 / E-2     P-4 / O-3 / T-4 / E-3 / F-1     	
Cutting capacity in sheets DIN A4 80 g/m <sup>2</sup> (70 g/m <sup>2</sup> )	35-37 (39-41) 26-28 (29-31)	21-22 (25-27)	39-41 (44-46) 31-33 (35-37)	25-27 (29-31)	42-44 (47-49)	33-35 (39-41)
Noise level in dB(A)*	56	56	55	55	55	55
Intake width in mm	400	400	330	330	330	330
Motor in watt	590	590	800	800	1000	1000
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Dimensions (W x D x H) in mm	620 x 487 x 889	620 x 487 x 889	580 x 550 x 1005	580 x 550 x 1005	579 x 548 x 954	579 x 548 x 954
Weight in kg	48	54	74	76	74	78
Collection volume in l	145	145	170	170	150	150

\*in idle operation

All specifications are listed without guarantee. Technical and design modifications reserved.

# HSM – the company

## Shredding and Compressing.



Since 1971, HSM has been pursuing a clear strategy – a consistent commitment to quality “Made in Germany”. This product and service quality is the key to success in both the office technology and environmental technology business sectors. As a specialist for products and services for data protection as well as technologies for optimising logistics and recycling processes, HSM is one of the world’s leading providers.

**Enquire now! We are always glad to help.**

### Head office in Germany:

HSM GmbH + Co. KG · Austraße 1-9 · 88699 Frickingen / Germany  
Tel. +49 7554 2100-0 · Fax +49 7554 2100-160  
info@hsm.eu · www.hsm.eu

### E-mail / Hotline:

Gratis Hotline  
DE, AT, IT, ES, BE, NL, LU  
Tel. 00800 44 77 77 66

HSM Vertrieb Deutschland  
deutschland@hsm.eu

HSM Vertrieb Österreich  
austria@hsm.eu

HSM Vertrieb Schweiz  
schweiz@hsm.eu

HSM Verkoop België, Nederland,  
Luxemburg  
benelux@hsm.eu

HSM Commerciale Italia  
italia@hsm.eu

HSM Ventas Portugal  
iberia@hsm.eu

### HSM subsidiaries:

HSM Técnica de Oficina y  
Medioambiente España, S.L.U.  
Calle de José Echegaray, 10  
28100 Alcobendas, Madrid  
Spain  
Tel. +34 91 103 4859  
Fax +34 91 103 4858  
iberia@hsm.eu  
www.hsm.eu

HSM France SAS  
Parc de Genève  
240, Rue Ferdinand Perrier  
69800 Saint-Priest  
France  
Tél. +33 472 210580  
Fax +33 472 517481  
france@hsm.eu  
www.hsm.eu

HSM (UK) Ltd.  
14 Attwood Road / Zone 1  
Burntwood Business Park  
Burntwood · Staffordshire  
WS7 3GJ  
United Kingdom  
Tel. +44 1543 272-480  
Fax +44 1543 272-080  
sales.uk@hsm.eu  
www.hsm.eu

HSM Polska Sp. z o.o.  
ul. Emaliowa 28  
02-295 Warsaw  
Polska (Poland)  
Tel. +48 22 862-2369  
Fax +48 22 862-2368  
handlowy@hsm.eu  
www.hsm.eu

HSM of America LLC  
419 Boot Road  
Downingtown  
PA 19335  
USA  
Tel. +1 484 237-2308  
+1 800 613-2110  
Fax +1 484 237-2309  
customerservice@hsm.us  
info@hsm.us  
www.hsm.us

HSM China Ltd.  
Room 504, Building C  
Hangcheng Guangchang  
Nanfaxin Town  
Shunyi District  
Beijing, PRC, 101300  
China  
Tel. +86 10 61429168  
Fax +86 10 61429169  
info@hsm-china.cn  
www.hsm-china.cn