HSM®

Great Products, Great People.

HSM SECURIO Document Shredders

Product Overview

www.hsm.eu

HSM SECURIO

Premium document shredder Made in Germany

Experience top quality, state-of-the-art technology and elegant design – with HSM SECURIO you choose premium security for confidential data. The line impresses with innovative features, maximum ease of use and high-quality materials. Perfect for everyone who demands the highest standards of data protection and efficiency – whether in the office or for continuous professional use.

Made in Germany

5 year warranty

5 year warranty on the HSM SECURIO C-, B- and P-series document shredders in security levels P-2 to P-5 according to ISO/IEC 21964 (DIN 66399).

3 year warranty on all other HSM SECURIO document shredders.

cutting roller warranty

Lifetime warranty on steel cutting rollers in HSM SECURIO document shredders at security levels P-2 to P-5.

energy efficient

Actual zero power consumption in stand-by mode, for the models HSM SECURIO C14, C16 and AF100.

EcoSmart: 0.1 Watt power consumption in stand-by mode for the document shredders HSM SECURIO AF150 to AF500 and C18 to P44i.

BLUE ANGEL THE GERMAN ECOLABEL

The HSM SECURIO document shredders (except AF350) have been awarded the Blue Angel for low energy consumption, durable design and the avoidance of materials that are harmful to the environment.

www.blauer-engel.de/uz174

Product finder

Small Office

1 - 3 persons
up to 19 sheets, DIN A4
up to 25 l collection volume

Office

1 - 5 persons
up to 27 sheets, DIN A4
up to 82 l collection volume

Large Office

5 - 8 persons
up to 37 sheets, DIN A4
up to 130 l collection volume

Department

8 - 15 persons
up to 79 sheets, DIN A4
up to 205 l collection volume

How high is the protection requirement of your data storage device?

P-2	
P-4	GDPR-compliant
P-5	GDPR-compliant
P-6	GDPR-compliant
P-7	GDPR-compliant

For the secure destruction of personal data we recommend security levels P-4 and above.

You can find the corresponding consumables at www.hsm.eu

HSM SECURIO C-series

Small Office

Space-saving, efficient and secure. The C-series impresses with its appealing compact design and ease of use. Perfect for document shredding at the office or at home.

- Paper feed with overload protection reduces paper jams.
- Effortless emptying of the waste container via the removable housing top, HSM SECURIO C14 / C16.
- A full bin is indicated optically and the removable waste container can be emptied effortlessly, HSM SECURIO C18.
- Level indicator through inspection window, from HSM SECURIO C16.
- An LED display shows the operating status, HSM SECURIO C18.

1. Quiet operation minimises noise development in the workplace.
2. High level of user safety, a slight pressure on the safety element immediately stops the paper feed.
3. The devices start automatically when fed paper and automatically stop after shredding is complete.

Learn more, scan QR-Code.

Model	HSM SECURIO C14		HSM SECURIO C16		HSM SECURIO C18	
Scope of application	Home / small office, up to 3 persons		Home / small office, up to 3 persons		Home / small office, up to 3 persons	
Cutting type	strip	particle	strip	particle	strip	particle
Cutting size in mm / Product number	3.9 / 2250111	4 x 25 / 2253111	5.8 / 1901111 3.9 / 1900111	4 x 25 / 1902111	5.8 / 1911121 3.9 / 1910121	3.9 x 30 / 1913121 1.9 x 15 / 1912121
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2/T-2/E-2	P-4/T-4/E-3/F-1	P-2/T-2/E-2 P-2/T-2/E-2	P-4/T-4/E-3/F-1	P-2/O-2/T-2/E-2 P-2/T-2/E-2	P-4/T-4/E-3/F-1 P-5/T-5/E-4/F-2
Cutting capacity in sheets DIN A4 80 g/m² (70 g/m²)	10-12 (12-14)	5-6 (6-7)	15-17 (16-18) 12-14 (13-15)	6-7 (7-8)	17-19 (19-20) 13-15 (14-16)	8-9 (10-11) 6-7 (8-9)
Noise level in dB(A) in idle operation	55	55	55	55	55	55
Intake width in mm	225	225	225	225	230	230
Power consumption in W	160	160	185	185	360	360
Size (W x D x H) in mm	366 x 258 x 405		366 x 258 x 455		365 x 280 x 542	
Weight in kg	4	5	4	5	10	11
Collection volume in l	20	20	25	25	25	25

HSM SECURIO B-series

Office

Economical, reliable and versatile. The product range offers document shredders for the workplace or small working groups.

- Safety element prevents unintentional entry.
- High quality wooden base cabinet with door and reusable collecting bag, from HSM SECURIO B26.
- Mobile on castors, from HSM SECURIO B24.
- External oiler provides for consistently high cutting performance, optional for cutting units in particle cut, from HSM SECURIO B24.

1. The powerful motor ensures a high cutting capacity and reliable continuous operation.
2. A full bin is indicated optically and the removable waste container can be emptied effortlessly.
3. The induction-hardened, solid steel cutting rollers can easily cope with staples.

Learn more, scan QR-Code.

Model	HSM SECURIO B22		HSM SECURIO B24		HSM SECURIO B26		HSM SECURIO B32	
Scope of application	Office, up to 5 persons		Office, up to 5 persons		Office, up to 5 persons		Office, up to 5 persons	
Cutting type	strip	particle	strip	particle	strip	particle	strip	particle
Cutting size in mm / Product number	5.8 / 1831121 3.9 / 1830121	3.9 x 30 / 1833121 1.9 x 15 / 1832121 0.78 x 11 / 1835121	5.8 / 1781111 3.9 / 1780111	4.5 x 30 / 1783111 1.9 x 15 / 1782111 0.78 x 11 / 1785111 1 x 5 / 1784111	5.8 / 1801111 3.9 / 1800111	4.5 x 30 / 1803111 1.9 x 15 / 1802111 0.78 x 11 / 1805111 1 x 5 / 1804111	5.8 / 1821111 3.9 / 1820111	4.5 x 30 / 1823111 1.9 x 15 / 1822111 0.78 x 11 / 1825111 1 x 5 / 1824111
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2/O-2/T-2/E-2 P-2/T-2/E-2	P-4/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3
Cutting capacity in sheets DIN A4 80 g/m² (70 g/m²)	17-19 (22-24) 13-15 (16-18)	9-11 (12-14) 7-9 (9-11) 4-5 (5-6)	25-27 (28-30) 19-21 (22-24)	14-16 (17-19) 9-11 (11-13) 6 (7) 4 (5)	25-27 (28-30) 19-21 (22-24)	14-16 (17-19) 9-11 (11-13) 6 (7) 4 (5)	25-27 (28-30) 19-21 (22-24)	14-16 (17-19) 9-11 (11-13) 6 (7) 4 (5)
Noise level in dB(A) in idle operation	57	57	54	54	55	55	56	56
Intake width in mm	240	240	240	240	310 / DIN A3	310 / DIN A3	310 / DIN A3	310 / DIN A3
Power consumption in W	440	440	610	610	610	610	610	610
Size (W x D x H) in mm	375 x 310 x 600		395 x 317 x 605		497 x 397 x 676		497 x 398 x 793	
Weight in kg	11	13 / 12 / 12	15	19 / 16 / 21 /21	24	26 / 27 / 28 / 28	26	27
Collection volume in l	33	33	35	35	55	55	82	82

HSM SECURIO B-series
Large Office

Elegant, reliable and powerful. The product range offers document shredders for the work-place or small working groups.

- The induction-hardened, solid steel cutting rollers can easily cope with staples and paper clips
- The device can be intuitively operated with the multifunction element.
- Safety element prevents unintentional entry.
- Mobile on castors.

1 After opening the door, the reusable collecting bag or the cardboard box can be easily removed and emptied.

2 The powerful motor ensures a high cutting capacity and reliable continuous operation.

3 An integrated light barrier automatically starts the device when paper is introduced into the feed and it automatically stops after shredding is complete.

Learn more, scan QR-Code.

Optional
External oiler provides for consistently high cutting performance, Prod.-No + O (all particle cut versions)

Model	**HSM SECURIO B34**		**HSM SECURIO B35**	
Scope of application	Large office, up to 8 persons		Large office, up to 8 persons	
Cutting type	strip	particle	strip	particle
Cutting size in mm / Product number	5.8 / 1841111 3.9 / 1840111	4.5 x 30 / 1843111 1.9 x 15 / 1842111 0.78 x 11 / 1845111 1 x 5 / 1844111	5.8 / 1921111 3.9 / 1920111	4.5 x 30 / 1923111 1.9 x 15 / 1922111 0.78 x 11 / 1925111 1 x 5 / 1924111
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3
Cutting capacity in sheets DIN A4 80 g/m² (70 g/m²)	30-32 (35-37) 25-27 (28-30)	20-22 (20-24) 13-15 (13-16) 8 (9) 5 (6)	35-37 (40-42) 26-28 (30-32)	21-22 (24-26) 14-15 (16-18) 9 (10) 5 (6)
Noise level in dB(A) in idle operation	56	56	56	56
Intake width in mm	310 / DIN A3	310 / DIN A3	400 / DIN A3	400 / DIN A3
Power consumption in W	700	700	700	700
Size (W x D x H) in mm	541 x 439 x 845		620 x 525 x 870	
Weight in kg	35	42	48	54 / 53 / 54 / 54
Collection volume in l	100	100	130	130

These media types can be destroyed:

Information in original format, e.g. paper

e.g. CDs, DVDs, Blu-ray discs

e.g. floppy disks, ID cards with magnetic strips

e.g. USB sticks, chip cards, flash memory, memory cards from digital cameras

e.g. films, foils



Super Silent

only 45 dB(A) in Silent Mode

HSM SECURIO P-series
Department

Data destruction at the highest level. Innovative IntelligentDrive motor and operating technologies – up to 40 % more performance, intelligent prevention of paper jams and a reduced operating noise level.

- Intelligent paper jam prevention. The machine recognises very quickly if too much paper has been fed in and reacts autonomously.
- Powerful motor for continuous operation.
- High degree of user safety with the pressure sensitive safety element.
- Convenient emptying: after opening the door, the reusable collecting bag can be easily removed and emptied.
- Document shredders with particle cut have an integrated automatic oiler for consistently high cutting performance. Reduction in oil quantity by using manual configuration.
- Mobile on castors.

1. Intuitive operation and menu selection via the high resolution touch display.
2. IntelligentDrive: Silent, Standard and Performance operating modes for destroying data efficiently and conveniently.
3. In operating mode Silent up to 30 % quieter than in Standard mode.

Learn more, scan QR-Code.

Optional
Separate CD cutting unit, cutting size 4 x 7 mm “C“
Separate OMDD cutting unit, cutting size 2 x 2 mm “M“
Separate OMDD cutting unit + metal detection “N“

Model	**HSM SECURIO P36i**		**HSM SECURIO P40i**		**HSM SECURIO P44i**	
Scope of application	Department, up to 15 persons		Department, up to 15 persons		Department, up to 15 persons	
Cutting type	strip	particle	strip	particle	strip	particle
Cutting size in mm / Product number	5.8 / 1851121 3.9 / 1850121	4.5 x 30 / 1853121 1.9 x 15 / 1852121 0.78 x 11 / 1855121 1 x 5 / 1854121	5.8 / 1881121 3.9 / 1880121	4.5 x 30 / 1883121 1.9 x 15 / 1882121 0.78 x 11 / 1885121 1 x 5 / 1884121	5.8 / 1871121 3.9 / 1870121	3.9 x 40 / 1873121 1.9 x 15 / 1872121 0.78 x 11 / 1875121 1 x 5 / 1874121
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/O-4/T-5/E-4/F-2 P-6/T-6/E-5/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/O-4/T-5/E-4/F-2 P-6/T-6/E-5/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/O-4/T-5/E-4/F-2 P-6/T-6/E-5/F-3 P-7/F-3
Cutting capacity in sheets DIN A4 80 g/m² (70 g/m²)	43-45 (43-49) 34-36 (34-39)	27-29 (27-31) 16-18 (16-20) 11-13 (11-12) 8 (10)	56-58 (56-60) 44-46 (44-47)	34-36 (34-37) 19-21 (19-24) 13-15 (13-15) 9 (11)	77-79 (83-85) 61-63 (67-69)	43-45 (48-50) 25-27 (30-32) 17-19 (20-22) 11 (13)
Noise level in dB(A) in idle operation, standard mode	55	55	55	55	55	55
Intake width in mm	330 / DIN A3	330 / DIN A3	330 / DIN A3	330 / DIN A3	400 / DIN A3	400 / DIN A3
Power consumption in W	1000	1000	1300	1300	1900	1900
Size (W x D x H) in mm	580 x 550 x 1020		580 x 550 x 1020		700 x 592 x 1105	
Weight in kg	64	68	67	72	105	105
Collection volume in l	145	145	145	145	205	205

HSM SECURIO AF-series
with automatic paper feed

Innovative, convenient and time-saving. For reliable and easy destruction of document stacks and single sheets.

- Automatic start/stop.
- Paper feed with overload protection reduces paper jams.

HSM SECURIO AF100:

- Zero power consumption in stand-by mode.
- Effortless emptying of the waste container via the removable housing top.

HSM SECURIO AF150 to AF500:

- Powerful motor for continuous operation.
- Removable waste container for effortless emptying.
- High quality wooden base cabinet with door and reusable collecting bag, HSM SECURIO AF500.
- Mobile on castors.

1 Nanogrip Technology for reliable sheet intake.

2 Manual paper feeding during autofeed stack processing.

3 Lock-and-Go function protects the inserted paper stack against unauthorised access, HSM SECURIO AF350 / AF500.

Learn more, scan QR-Code.

Model	HSM SECURIO AF100	HSM SECURIO AF150	HSM SECURIO AF300	HSM SECURIO AF350	HSM SECURIO AF500
Scope of application	Home / small office, up to 3 pers.	Office, up to 5 persons	Office, up to 5 persons	Office, up to 5 persons	Office, up to 8 persons
Cutting type	particle	particle	particle	particle	particle
Cutting size in mm / Product number	4 x 25 / 2063111	4.5 x 30 / 2083111 1.9 x 15 / 2082111 0.78 x 11 / 2085111	4.5 x 30 / 2093121 1.9 x 15 / 2092121 0.78 x 11 / 2095121	4.5 x 30 / 2113111 1.9 x 15 / 2112111 0.78 x 11 / 2115111	4.5 x 30 / 2103111 1.9 x 15 / 2102111 0.78 x 11 / 2105111
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-4/T-4/E-3/F-1	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3
Cutting capacity in sheets DIN A4 80 g/m² (70 g/m²)	5-6 (6-7)	8-10 (10-12) 6-7 (8-9) 5 (6)	12-14 (14-16) 8-10 (9-11) 6 (7)	12-14 (14-16) 8-10 (9-11) 6 (7)	14-16 (17-19) 9-11 (11-13) 6 (7)
Capacity of autofeed unit, for paper only	max. 100 sheets	max. 150 sheets	max. 300 sheets	max. 350 sheets	max. 500 sheets
Noise level in dB(A) in idle operation	56	56	56	56	56
Intake width in mm	225	240	240	240	240
Power consumption in W	185	610	610	610	610
Size (W x D x H) in mm	375 x 260 x 620	395 x 381 x 740	395 x 381 x 740	395 x 435 x 837	497 x 491 x 1002
Weight in kg	7	18 / 18 / 19	18 / 18 / 19	19	29 / 29 / 30
Collection volume in l	25	35	35	35	82

HSM®

Great Products, Great People.

● **Head office and production sites in Germany**

HSM GmbH + Co. KG
Austraße 1-9
88699 Frickingen / Germany
Tel. + 49 7554 2100-0
Fax + 49 7554 2100-160
info@hsm.eu
www.hsm.eu

○ **Subsidiaries**

HSM Técnica de Oficina y Medioambiente España, S.L.U.
HSM France SAS
HSM (UK) Ltd.
HSM Polska Sp. z o.o.
HSM Service Sp. z o.o.
HSM of America LLC

● **Sales and service points**

All specifications are listed without guarantee. Technical and design modifications reserved.
For latest product specifications visit www.hsm.eu

09/2026 – W32022